Working Draft "Consensus" FY13 Budget Gap Projection		
Preliminary Subject to change	• •	
estimate as of September 26, 2011		
These are preliminary estimates, revisions ongoing		
The second secon		Consensus
REVENUE		FY13
July 2011 Forecast	2 0000	1267.2
Dir Apps/Reversions		20.0
VEDA		(0.2)
TOTAL AVAILABLE REVENUE/RESOURCES		1287.0
ADDDODDIATION/IJCEC		
APPROPRIATION/USES	EV40	F1/40
Base GF Budget	FY12 1235.9	FY13
Plus base transfer (Next Gen/VTA program costs)		1258.2
Stablization Reserve requirement	5.8 0.8	5.8
Stabilization rieserve requirement	0.0	2.0
Additional Base Ups/Downs		
VT State Hospital - non recertification	3.3	Constant of the Constant of th
Base \$12m savings not achieved	2.0	
Renter Rebate	1.2	on-distance of the state of the
Unemployment Insurance	2.1	Acceptance
Base needs in other funds(sarcoid/DOC/etc)	2.0	***************************************
FFY11 Fed funds impact	7.0	
Medicaid Base Adjustment	(10.0)	
Onetime funds in FY12 not available in FY13	n/a	7.6
Troopers Contract (ratified)	0.6	1.0
JTOC/Rest Areas	n/a	4.0
Base FMAP Loss	n/a	10.0
Autism mandate	n/a	10.0
Tobacco Funds - base spend > revenue	n/a	12.0
Teacher retirement - health care costs	n/a	3.0
GF Transfer to EF		1.6
Retirement pension funding		10.0
Labor current contract end level 3%		9.2
Corrections	2.5	NAME OF THE PROPERTY OF THE PR
Irene base cost	5.0	
Employee - Healthcare base		3.0
Technology replacement		7.0
FFY12/13 Fed funds impact (eg.LIHEAP unknown)	??	??
GF BASE APPROPS and USES	1258.2	1344.4
(Gap) / Surplus Estimate		(57.4)
[to be resolved through spending adjustments or revenue ch	anges]	
		i i

evision Forthcoming

ASSUMPTIONS

Labor contract costs - under negotiation.

Other federal cost shifts - Medicare impact on Medicaid etc - very preliminary Federal Fiscal Year 12 &13 Budget impacts unknown - could be substantial negative No provision for LIHEAP

\$15- \$17 million in one time FY 2012 costs for Irene uses carryforward Irene related ongoing estimates - very preliminary Technology replacement - very preliminary